









TFREC at a Glance

- Crops: apple, pear, sweet cherry
- Systems: conventional, organics, new technologies



- Land resources: 400+ acres of research orchards & facilities
- 13 WSU Faculty, 32 Staff, 5 post-docs, 17 grad students
- USDA-ARS Postharvest Research Facility







TFREC Faculty

- Achour Amiri, Plant Pathology; Postharvest Tree Fruit Diseases
- Elizabeth Beers, Entomology; Tree Fruit IPM
- Jenny Bolivar, ANR; ITT Extension Tree Fruit Horticulture
- Tianna DuPont, ANR; Tree Fruit Extension Specialist
- Kate Evans, Interim Center Director; Horticulture; Pome Fruit Breeding
- David Granatstein, emeritus, Sustainable & Organic Agriculture
- Vince Jones, Entomology; Director, Tree Fruit Decision Aid System
- Lee Kalcsits, Horticulture; Tree Fruit Physiology
- Stefano Musacchi, Hort; Endowed Chair, Tree Fruit Physiol & Mgmt
- Tobin Northfield, Entomology; Tree Fruit
- *Marcy Ostrom, ANR; Small Farms & Community Food Systems*
- Sara Serra, Horticulture; Tree Fruit Physiology & Management
- Carolina Torres, Horticulture; Endowed Chair, Postharvest Systems

TFREC Faculty



Achour Amiri Plant Pathology



Elizabeth Beers Entomology



Jenny Bolivar Medina ITT Extension



Tianna DuPont Extension Specialist





Kate Evans D Horticulture

David Granatstein Emeritus



Vince Jones Entomology, DAS



Lee Kalcsits Horticulture



Stefano Musacchi Horticulture, EC*



Tobin Northfield Entomology



Louis Nottingham Entomology



Marcy Ostrom ANR/Small Farms





Sara Serra Horticulture I

Carolina Torres Horticulture, EC[†]



* Endowed Chair of Tree Fruit Physiology & Management † Endowed Chair of Postharvest Systems

Operations Staff

Administrative Staff



Kate Evans Interim Director



Darla Ewald Office Manager & HR



Megan Welker Office Assistant



Shelly Tompkins Budget & Finance



Wendy Jones IT/Communications

Physical Plant Staff



Jerry Moreland Facilities Manager



Trish Mulvaney Maintenance



Micah Cawdery Maintenance



Cameron Burt Farm Manager



Farm Operations

Francisco Figueroa Columbia View Orchard



Mike Mitchell Sunrise Orchard

SUTERA De Wal

Not pictured: Evan Mendonca, Sergio Alfaro-Rameriz, Daniella Reyes, and Willy Stockman

Achour Amiri

Pome Fruit Pre/Post Harvest Pathology



- Conduct basic and applied research on major diseases of pome fruit
- Develop solutions to enhance disease management and increase packout
- Study the epidemiology and etiology of major pathogens in orchards and storage rooms
- Use traditional and molecular approaches to understand mechanisms of fungicide resistance development in major pathogens
- Investigate the effect and impact of postharvest environments on disease development







Elizabeth Beers

Tree Fruit IPM







- Focus on multi-tactic IPM solutions to tree fruit pest problems to stabilize agroecosystems
- Address emerging issues with invasive species such as spotted wing drosophila and brown marmorated stink bug
- Develop and maintain integrated biological control through studies of non-target effects
- Monitor pesticide resistance and promote resistance management options
- Test new candidate materials, and techniques such as Sterile Insect Release for potential of building blocks of IPM programs









Tree Fruit Extension



- Orchard Integrated Pest Management (IPM)
- Fire Blight Management
- Quick decline, Little cherry disease, Replant disease education
- Orchard management education







Pome Fruit Breeding





 Dwarfing rootstocks for pear to facilitate efficient high density plantings in PNW



 New improved apple varieties, selected for the major production regions of Washington state, and available to WA growers



Vince Insect Ecology/WSU Decision Aid System (DAS)







- Insect population dynamics
- Orchard IPM
- Development & implementation of decision support systems (DAS)
- Insect Behavior
- Biological control
- Effect of introduced pests on ecosystems
- Mechanisms of mating disruption





Delayed Dormant Sprays

Hweaky Jan 63, 2020 Dominist papily, are important for management of a wide range of petits including European red miti moot/ apple application, roug and green apple aphids, and San Jose Scale. Most of these are easily controlle using a virieity of materials, but if you are using oils, remember that good coverage is essential becau they work by covering the egg stage and preventing requisition.



Which Leafroller Species is in Your Orchard?

There are two leaf-follers commonly found in Washington orchards: Pandemis leaf-toller (PLR) and Obliguestanded leaf-toller (DBLR). The phrenology of the two species is quite different and you need to be sure which species you have for proper management and use the correct model on DAS. PLR used to be more common, but in the pairs (DBLR) has displaced PLR from many of the production areas.



Delayed Dormant Sprays for Leafrollers

season for efficacy against larvae of OBLR

Thursday Jan 08, 2000 Pandemia Isahfeler (PLR) and oblique-banded leafroller (DBLR) have different phenologies which are documented on DAS. Delayed dormant sprays can work well for PLR, but are generally too early in the



What is DAS?

A collaborative project between WSU Extension and WSU Agricultural Research Center.

MSU-DAG is a web-based platform designed to transfer timeensitive information to decision makers in the tree fruit nodels to estimate the current status of the issue and links hat to appropriate management, and pesificide ecommendations.










Tree Fruit Physiology







- Apple sunburn management: evaporative cooling, netting and gene expression
- Netting to optimize light and fruit surface temperature
- Interactions between rootstocks and the environment
- Mitigation of bitter pit in Honeycrisp
- Deficit irrigation for water management and improved fruit quality





Tree Fruit Physiology & Management

 Innovative orchard design for apple and pear suitable for mechanization and automatization.

Stefano

Musacchi

- Evaluation of new rootstocks for apple and pear.
- Orchard management: *optimization of growth, pruning, production capacity, fruit quality, harvest time in apple and pear.*
- Precision crop load management in apple.
- Apple thinning with net (bee exclusion).
- Manchurian crabapple replacement: *find alternative pollinizers*.
- Dry matter in apple and pear: consumer preference and willingness to pay.







Tree Fruit Entomology







- Applied insect ecology
- Biological control
- X Disease and vector control
- Population dynamics
- Theoretical ecology







Louis Nottingham

Tree Fruit Entomology





- Pear Integrated Pest Management
- Cultural pest controls: reflective films, and overhead washing
- Augmentation biological control of pear psylla with earwigs
- Pest management effects on insect behavior







Tree Fruit Physiology & Management

- Non-destructive dry matter assessment to sort pears and apples at harvest.
- Consumer preference and willingness to pay based on at harvest sorting pears and apples.
- Apple flower biology, pollination and fruit development.
- Photoselective netting for apple orchard and effects on the light quality and quantity.
- New rootstocks evaluation for apple and pear orchard.
- Precision crop load management for consistent production in apple orchard.











TFREC Graduate Students



L to R: Emmi Klarer, Lederson Ganan, Raquel Gomez, Adrian Marshall, Zara York, Andrew Griffin, Erica Casagrande-Biazus, Jim Hepler, Sara Kostick, Abby Clarke

Not Pictured: Claudia Baldassi, Alexander Haase, Dowen Jocson, Stefan Roeder, Nadia Valverdi, Paul Bergeron



Mike and Kathy Hambelton Fellowship

Congratulations 2019 Award Recipients

Pictured here from left to right: Mike Hambelton, Josh Milne (Entomology), David Enicks (Plant Pathology), Kathy Hambelton, Michelle Reid (Horticulture), Raquel Gomez (Horticulture), and Lederson Ganan (Plant Pathology)













Staff Awards

Congratulations 2019 CAHNRS Award Recipients

Trish Mulvaney, Classified Staff Excellence Award



Other Award Recipients:

Tawnee Melton, Administrative Professional Technical Staff Excellence Award Kate Evans, Land Grant Mission Award



Facilities & Resources

- TFREC has 422 acres of total land resources
- The Center campus includes 30 acres used for:
 - 4 acres of research orchard
 - Research & office buildings
 - Greenhouses
 - Shop
 - Student housing





Columbia View Orchard



- 92 acre research orchard located near Orondo in Douglas County.
- 46 acres shared with USDA-ARS.
- The entire site is encircled by an electrified deer fence.
- Home of the WA 38 Mother Tree.





Sunrise Research Orchard

- Purchased 300 A/150 A with water rights in 2006.
- Located south of Rock Island Dam on Hwy 28.
- 80 acres dedicated to research.
- 60 acres of certified organic are leased for commercial production with some research activities.
- Secured equipment compound with modular units for research & educational activities.












Field Day Activity

WA Tree Fruit Industry Quick Facts

- WA TF is worth over \$10 Billion annually
- About 1/3 WA fresh fruit is exported
- Roughly 233,400 bearing acres of tree fruit 2018 USDA/NASS
- WA has 170,000 bearing apple acres 2018 USDA/NASS



- WA #1 state in the U.S. for utilized production of apple (65%), pear (49%), and sweet cherry (71%) 2018 USDA/NASS
- WA organic acreage: 16% of apple, 16% of pear, 6.7% sweet cherry 2018 Recent Trends in Certified Organic Tree Fruit in Washington State



\$32M Tree Fruit Endowment

Tree Fruit Growers passed a time limited *special project assessment*

Supports WSU Wenatchee and Prosser R&E Centers

- Endowed Chairs (\$12 Million)
- Information & Technology Transfer (\$12 Million)
- Research Facilities & Orchard Operations (\$8 Million)

Partnered Management with the Endowment Advisory Committee

Largest gift in WSU history!

